



# The Finest Fiberglass Doors Built For The Harshes Environment

## Veterinary and Large Animal Facilities



### Fiberglass Doors / Frames & Windows For:

- Examination/Operating Rooms
- Kennel Areas
- Maintenance Areas
- Exterior Doors
- Wash Rooms

### The Advantages of a Chem-Pruf Door:

- Seamless construction-no dirt or bacteria build up
- Easy wash down
- FDA/USDA approved gelcoat finish
- Durable
- Hygienic
- Windows molded into the door


### Why Chem-Pruf?

- Company with 30 years experience
- Long life of Product
- 25 year warranty
- Ease of installation
- Molded in gelcoat means doors never have to be painted - **EVER!**
- One point of contact for door and hardware
- Virtually maintenance free

### From the Hill Country Veterinary Clinic / Fredericksburg, Texas:

*"In the past twenty years, I have replaced doors in my kennel area several times due to the high moisture. After one year, the "test" door from Chem-Pruf proved to be the answer. I have since replaced three kennel doors, exit/entry doors throughout and even the front entry with the barn style with wood grain to match the rustic design of the clinic."*

**Dr. Laird Laurence, DVM**




P.O. Box 4560 / Brownsville, Texas 78523  
1-800-444-6924 / Fax: (956) 544-7943 / [www.chem-pruf.com](http://www.chem-pruf.com)

# Fiberglass vs. Steel

## FOR TOUGH INDUSTRIAL / COMMERCIAL APPLICATIONS

### STEEL DOOR

Why Buy 10 Steel Doors Over 25 Years?



### FIBERGLASS DOOR

When We Guarantee You'll Only Need One of These!



Every door is custom built to your exact dimensions without custom charges

## FOR JUST ONE DOOR YOUR SAVINGS COULD BE AS HIGH AS \$24,631

- Average Service Life In A Corrosive Environment **2.5 Years**
  - Over a 25 Year Period, Will Need To Be Replaced **10 Times**
  - Est. Maintenance, Paint & Installation Costs-25 Yrs **\$8,000**
  - 2009 MSRP For Door, Frame, Hardware and Louver (Frame Knocked Down, Hardware Installed in Field) **\$1,944**
- Total Cost \$27,440**

- Service Life in the Most Hostile Environment Imaginable **Min. 25 Yrs Guaranteed**
  - Over a 25 Year Period, Will Need To Be Replaced **0 Times**
  - Est. Maintenance, Paint & Installation Costs-25 Yrs **\$1,000**
  - Factory Direct Cost For Door, Frame, Hardware & Louver (Door fully Assembled in Frame With Hardware Installed) **\$1,809**
- Total Cost \$2,809**

**Chem-Pruf Fiberglass Doors and Frames Will Not Rust - EVER!**

# The Complete Package

## WE MAKE IT SO EASY!

*No outside contractors required – Pre-hung units with all hardware attached make installation a snap!*

- **Chem-Pruf Supplies the Complete Package** (Hardware, Door, Frame)
- **Unitized Door System** – Single doors ship completely assembled in the frame with hardware installed so that the total unit can be slipped into the wall opening for anchoring. (Double doors are pre-hung to ensure a proper fit and to check hardware function then they are disassembled for easy shipping and field handling.)



### Individual Crating System

- All Crates are clearly marked referencing your tag location.
- All door, frame and hardware items are included in each crate.



## EASY INSTALLATION

(1) Uncrate Door



(2) Position in opening – shim if necessary; bond in place



(3) Remove Straps – install anchors





# Chem-Pruf® Manufactured Certified Labeled Doors "Speak For Themselves"

## Original and #1 Door in the business for Veterinary and Large Animal Facilities


- 25 year warranty
- Will not ever rust or corrode
- Graffiti wipes clean
- Molded in gelcoat means doors never need to be painted - EVER
- Easy installation
- 30 years of experience
- Easily repairable in the field
- Fire rated doors and frames for up to 90 minutes
- Chemical Resistance
- Custom sizes are no problem
- Field support available

## Chem-Pruf Also Offers:

Fiberglass wall windows, wall louvers, astragals, thresholds, door sweeps, door louvers, door windows and panels just to name a few. Please see our website for further details.



<p>MEETS UBC 7-2-97/UL 10C POSITIVE PRESSURE REQUIREMENTS FOR USE IN 1 1/2 HOUR CATEGORY "B" APPLICATIONS ONLY. TEMP RISE @ 30 MINS - 350°F MAX. WHERE LIGHTS DO NOT EXCEED 100 IN. EXTERNAL SEAL REQUIRED</p> <p><b>WHI- 000017</b></p> <p>SEE INSTALLATION INSTRUCTIONS</p>	<p>1-800-444-6924 info@chem-pruf.com BROWNSVILLE, TX</p>
<p>MEETS UBC 7-2-97/UL 10C POSITIVE PRESSURE REQUIREMENTS FOR USE IN 1 HOUR CATEGORY "B" APPLICATIONS ONLY. TEMP RISE @ 30 MINS - 350°F MAX. WHERE LIGHTS DO NOT EXCEED 100 IN. EXTERNAL SEAL REQUIRED</p> <p><b>WHI- 000011</b></p> <p>SEE INSTALLATION INSTRUCTIONS</p>	<p>1-800-444-6924 info@chem-pruf.com BROWNSVILLE, TX</p>
<p>LISTED WINDSTORM RESISTANT DOOR SYSTEM ASTM E1330 - 70-70 PSF ASTM E1886 TYPE III: MIDDLE LEVEL 0 (30 FT-0) SINGLE SWING W/ SINGLE POINT LATCHING (with Double)</p> <p><b>WHI- 000001</b></p> <p>SEE INSTALLATION INSTRUCTIONS</p>	<p>Chempruf Brownsville, TX</p> <p>Product: High Velocity Storm Door</p>
<p>MEETS UBC 7-2-97/UL 10C POSITIVE PRESSURE REQUIREMENTS FOR USE IN 1 HOUR CATEGORY "A" APPLICATIONS ONLY. TEMP RISE @ 30 MINS - 350°F MAX. WHERE LIGHTS DO NOT EXCEED 100 IN.</p> <p><b>WHI- 000158</b></p> <p>SEE INSTALLATION INSTRUCTIONS</p>	<p>1-800-444-6924 info@chem-pruf.com BROWNSVILLE, TX</p>
<p>MEETS UBC 7-2-97/UL 10C POSITIVE PRESSURE REQUIREMENTS FOR USE IN 1 1/2 HOUR CATEGORY "A" APPLICATIONS ONLY. TEMP RISE @ 30 MINS - 250°F MAX. WHERE LIGHTS DO NOT EXCEED 100 IN.</p> <p><b>WHI- 000356</b></p> <p>SEE INSTALLATION INSTRUCTIONS</p>	<p>1-800-444-6924 info@chem-pruf.com BROWNSVILLE, TX</p>
<p><b>WARNOCK HERSEY</b> LISTED FIRE DOOR FRAME 1 1/2 HOUR RATING</p> <p><b>WHI- 001902</b></p> <p>MINIMUM WALL THICKNESS 3 1/2 INCHES 87.38 INCHES WIDE - 96 15/16 INCHES HIGH</p>	<p>CHEM-PRUF DOOR COMPANY BROWNSVILLE, TX</p>
<p><b>WARNOCK HERSEY</b> LISTED FIRE DOOR 1 HOUR RATING TEMP RISE - 30 MINS - 250 F. MAX</p> <p><b>WHI- 001358</b></p> <p>MIN. LATCH THROW - 1 1/2 INCH FOR INSTALLATION SINGLY OR IN PAIRS</p>	<p>CHEM-PRUF DOOR COMPANY BROWNSVILLE, TX</p>
<p><b>WARNOCK HERSEY</b> LISTED FIRE DOOR 1 1/2 HOUR RATING</p> <p><b>WHI- 002615</b></p> <p>FOR INSTALLATION SINGLY OR IN PAIRS</p>	<p>CHEM-PRUF DOOR COMPANY BROWNSVILLE, TX</p>
<p><b>WARNOCK HERSEY</b> LISTED STRUCTURALLY RATED DOOR TO ASTM E 330 MAXIMUM TESTED PRESSURE = 150 PSF</p> <p><b>WHI- 001003</b></p> <p>UP TO 4'0" X 8'0" SINGLE SWING ONLY</p>	<p>CHEM-PRUF DOOR COMPANY BROWNSVILLE, TX</p>



P.O. Box 4560 / Brownsville, Texas 78523  
1-800-444-6924 Fax: (956) 544-7943  
www.chem-pruf.com

Chem-Pruf reserves the right to make changes in designs and specifications or to make additions or improvements on its products and guarantees without notice and without incurring any obligation to incorporate them on products previously manufactured. Chem-Pruf is not responsible for any modification, addition or alteration to the doors and/or frames by others without prior written consent. Chem-Pruf reserves the right to make changes to information and data provided in this publication without notice. © Copyright Chem-Pruf Door Company, Ltd. 2009. All rights reserved.